

We're passionate about creating the perfect ride for every kind of rider. The high performance, fit and style of our Fitness bikes will inspire you to get healthier, commute more and spend more time on two wheels.

QUICK CARBON The speed and agility of a road bike, with the comfort of an upright, sportive position.

QUICK SPEED / QUICK These fast, fun, easy-to-ride bikes will get you off the spin cycle, out of the gym and onto the open road with a smile.

CAAD8 FLAT BAR A blend of road-bike speed and upright comfort. QUICK CX On-road efficiency meets off-road ruggedness for adventuring, mixed surface riding and commuting.

TANDEM It's better together. Double the fun, on road or off.

ADVENTURE Comfortably luxurious performance for the casual cyclist. 2015 FITNESS LINE UF

FITNESS



QUICK

-QUICK CARBON 1 QUICK SPEED 1 QUICK SPEED 2 QUICK 4 QUICK 5 QUICK 6



ουιςκ ςχ

QUICK CX 1 QUICK CX 2 QUICK CX 3 QUICK CX 4 QUICK CX 5



TANDEM ROAD TANDEM 1 ROAD TANDEM 1 TANDEM 29ER

THE RIGHT BIKE FOR THE RIDE



The all-new Quick Carbon blurs the line between upright recreational comfort and thrilling road bike speed. The ultra-light full carbon frame shares many of the design and performance features of our legendary road racing machines, wrapped in a package that lets the miles float by with ease.



OUICK CARBON IS:

» Like a racing road bike, but with a comfortable upright

- »Light, agile, smooth and fast thanks to a full-carbon
- » The bike for fitness riders who demand the very best.

Fitness-oriented riders looking for a comfortable, high-performance and stylishly premium alternative to regular road bikes.

1 FULL-CARBON FRAME WITH INTEGRATED FORK

An all-new full carbon frame with a cleanly integrated fork provides bold design, racy performance and incredibly low weight.

ROAD-INSPIRED FEATURES The Quick Carbon comes fully-loaded with our performance and rider-comfort enhancing SAVE seat stays, BB30 bottom bracket, and internal cable routing.

3 RIDER TAILORED GEOMETRY -QUICK CARBON

2

This rider position is oriented towards performance. Slightly longer and lower, it puts the rider in an efficient, centered, yet still comfortable position.



To rein in all that speed, you can feel confident in the powerful disc brakes featured on the Quick Carbon.

COMFORT FEATURES

Quick Carbon features enhanced SAVE features in the rear triangle to absorb shock, soft-grip flat pedals and ergonomic grips and saddle for comfort.

RACK AND FENDER READY Full rack and fender mounts expand the Quick Carbon's versatility . and usefulness.

SIZES:

5, M, L, XL

5

6



REAR DERAILLEURShimano TiagraSHIFTERSShimano TiagraHANDLEBARCannondale C3, 6061 alloy, 25mm rise, 620mmCRIPSCannondale Ergo Performance, Lock-OnTEMCannondale C3, 31.8, 12 deg.HADSETTange S1 1-1/8"BRAKE LEVERSMagura MT2 160/160SADDLECannondale C3, Alloy, 27.2SADDLECannondale C3, Alloy, 27.2SLESSS, M, L, XLCIOR 1Jet Black, w/ Magnesium White and Race Red Accents, Matte (02) - BBQCIOR 2N/A
)) >>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>

DUICK

With what we've learned making high-end road bikes, we've taken a performance-based approach to fitness cycling. The viitn wriat we've learned making nigh-end road dikes, we ve taken a performance-based approach to fitness cycling. The new Quicks' combination of light weight, smooth-riding comfort and balanced rider position provides a true Cannondale video comprises comparisoner on a new Quicks' combination of light weight, smooth-riding comfort and but the further and puck view for a little barder than view video comparisoner on a new Quicks' combination of light weight. riew Quicks Communication of light weight, smooth-humg comfort and buildled nuer position provides a true cumona riding experience; on a new Quick, you'll go a little faster, ride a little further, and push yourself a little harder than you ever thought possible.



QUICK IS:

» Cannondale performance with flatbar convenience

and comfort.

- »Light, agile, smooth and fast. » With a wide range of models, there's a Quick for everyone

1 QUICK SPEED

3

People looking to take their fitness goals out of the gym and experience reopie looking to take their fitness yours out of the gym and experien more, whether it's morning hot laps around Central Park, completing an important charity ride or simply feeling the sun on their morning , commute.

rou 2015, the Quick Speed replaces the jointer Quick Sc. The Un-new Quick Speed is lighter, has more pronounced SAVE features for comfort, and has a sleek, modern look. COMFORT FEATURES 5 INTERNAL CABLE ROUTING Quick bikes feature internal cable routing, providing a sleek look and control. and added value at each price point. RACK AND FENDER READY Full rack and fender mounts expand the Quicks' versatility and RIDER TAILORED GEOMETRY -6

QUICK For Quicks, "Rider Tailored Geometry" means a balance of an efficient, sporty position with the confidence and comfort of heads-up riding.

For 2015, the Quick Speed replaces the former Quick SL. The all-

4 NEW CUSTOM FORKS

Each Quick is paired with a custom Cannondale fork designed EUCIT QUICK IS PUTTED WITH A LUSION COMMONDATE FOR DESIGNED Specifically for the frame, for a seamless look, great handling and noticeable weight savings.

All Quicks have SAVE features in the rear triangle to absorb shock, soft-grip flat pedals and ergonomic grips and saddle for comfort

usefulness.

SIZES:

5, M, L, XL, J



₽ Jet Black w/ Ultra Blue Accents, Gloss (02) - BLK

Image: Image	 REAR DERAILLEUR Shimano Tiagra, 10 speed SHIFTERS Shimano Tiagra flat bar HANDLEBAR Cannondale C3, 6061 double-butted, Flat, 620mm, 25 deg, rise GRIPS Cannondale Ergo Performance, Lock-On STEM Cannondale C2, 31.8, 6 deg. HEADSET Tange Si 1-1/8" BRAKES Cannondale C2 Mini V, Cartridge Pads SADDLE SADDLE Connondale C3 M/ Kraton SADDLE SADDLE Connondale C3, Alloy, 27.2x350mm SIZES S, M, L, XL J SIZES COLOR 1 Jet Black w/ Ultra Blue Accents, Closs (02) - BLK COLOR 2 N/A LXTRAS N/A
--	--





✓ FRAME Quick Speed SL, Optimized 6061 Alloy, SAVE, 1-1/8" head tube ↑ FORK Quick Si, carbon blades, 1-1/8" steerer, w/ low rider mounts □ REAR SHOCK N/A ○ RIMS Maddux R3.0, double wall, 32-hole □ HUBS Cannondale C4, 32 hole □ HUBS Stainless, 15g □ PEDALS Quick Alloy w/ Kraton Inserts □ PEDALS Quick Alloy w/ Kraton Inserts □ RAIK OPTION N/A □ BOTTOM BRACKET Tange Cortridge □ KMC Z99 9-speed Shimano Tiagra 11-30-9-speed ▶ FRONT DERAILLEUS Shimano Sora 31.8 clamp	NetworkNetworkNetworkShimano SoraShimano SL-3500Shimano SL-3500HANDLEBARCannondale C4, 6061 alloy, Flat, 620mmSGRIPSCannondale Ergo Performance, Lock-OnSTEMCannondale C2, 31.8, 6 deg.HEADSETTange Si 1-1/8"BRAKECannondale C2 Mini V, Cartridge PadsBRAKECannondale CBL 9.1SADDLECannondale Quick Speed ErgoSADDLECannondale C4, Alloy, 27.2x350mmSIZESS, M, L, XL, JSIZESS, M, L, XL, JSIZESA0 Blue w/ Jet Black and Gold Accents, Gloss (03) - WHTC COLOR 1VAVAN/A
---	--



all-weather commuting.



QUICK CX IS:

- » Mountain-bike stability mixed with road bike nimbleness and heads-up comfort.
- » The perfect blend of sport and utility. » Ready for any road, any weather, anywhere.

Someone looking for a bike that matches his adventurous spirit, whether that means exploring the fire roads of Big Sur or riding the cobbles of Soho.

1 MOUNTAIN BIKE INSPIRED FRAME

The lightweight but durable Quick CX frame is designed like a nie lightweight out autable Quick CA fluthe is designed like a mountain bike for the road. With pronounced SAVE features and a mountain one for the load, with pronounced SAVE features who smaller diameter 27.2 seatpost, it delivers a crisp yet comfortable ride.

OVERSIZED HEADTUBE JUNCTION Massive 1.5" Si headtube is connected to an oversized top tube and down tube for a level of steering precision and control usually found only on the World Cup Circuit.

3 CUSTOM FORKS

2

For off-road control and on-road comfort, most Quick CXs rol off-total control and on-total configure, most guick CAS are equipped with 50mm-travel, 1.5" steerer suspension forks, including the radically light and stiff HeadShok DL50.

4 DISK BRAKES

Disk brakes add all-weather braking power and control.

RACK AND FENDER READY With rack and fender mounts, including low-rider fork mounts, the Quick CX is ready for anything from commuting to fully loaded overnight adventures.

SIZES

5

5, M, L, X, J



✓ FRAME Quick CX, Optimized 6061 Alloy, SAVE, HeadShok, 1.5 Si head tube ↑ FORK HeadShok Fatty DL50, 50mm w/lockout, OPI □□ REAR SHOCK N/A ○ RIMS Maddux DRX 3.0, double wall w/eyelet, 32-hole □□ HUBS Cannondale C4, CX Disc, 32 h □□ HUBS Stainless, 15g □□ TIRES Kenda Happy Medium, 700x35c □□ PEDALS Quick CX Reinforced Composite □ RANK Shimano Deore, 48/36/26 ○ CRANK Shimano Octalink □ BOTTOM BRACKET Shimano Octalink □ KMC X10 Shimano Tiagra 12-30T, 10-speed ▶ FRONT DERAILLEUR Shimano Deore, 34.9 damp	REAR DERAILLEURShimano DeoreImage: SHIFTERSShimano DeoreImage: HANDLEBARCannondale C3, 6061 double-butted, 15mm rise, 620mmImage: STEMCannondale Ergo Performance, Lock-OnImage: STEMCannondale C3 HeadShok, 31.8, 12 deg.Image: STEMCannondale HeadShok, 31.8, 12 deg.Image: SteMMagura MT2Image: StaDLECannondale Quick CX ErgoImage: StaDLECannondale Quick CX ErgoImage: StaPPOSTCannondale C3, Alloy, 27.2x350mmImage: StaDLESHLXLJImage: StaDLEJet Black, w/ Charcoal Grey and Super Sparkle Silver Accents, GlossImage: CoLOR 1N/AImage: CoLOR 2N/AImage: CoLOR 2N/AImage: CoLOR 3N/AImage:
--	--



∠√ FRAME Quick CX, Optimized 6061 Alloy, SAVE, 1.5 head tube ∧ FORK RST Nova 1.5", TNL lockout, 50mm ∞ REAR SHOCK N/A ○ RIMS Maddux DC3.0, double wall w/eyelet, 32-hole ↔ HUBS Cannondale C4, CX Disc, 32-hole ☆ SPOKES Stainless, 15g ☆ TRES Kenda Happy Medium, 700x35c ↔ PEDALS Quick CX Reinforced Composite ↔ CRANK Shimano Alivio, 48/36/26 ↔ BOTTOM BRACKET Tange Cartridge ◇ CHAIN KMC Z99, 9-speed ↓ REAR COGS Shimano Alivio, 34.9 clamp ↓ REAR COGS Shimano Alivio, 34.9 clamp	Image: Rear DerailleurShimano AlivoImage: Shirrano AlivioShirrano AlivioImage: Shirrano AlivioCannondale C3, 6061 double-butted. 15mm rise, 620mmImage: Stanondale Ergo Performance, Lock-OnCannondale Ergo Performance, Lock-OnImage: StemCannondale C4, 31.8, 12 deg.Image: StemTange Si Custom 1.5"Image: StemShimano M355 hydraulic disc, 160/160mmImage: StemShimano M355Image: StemCannondale Quick CX ErgoImage: StemCannondale C3, Alloy, 27.2x350mmImage: StemShimano M365Image: StemShimano M365Image: StemCannondale C3, Alloy, 27.2x350mmImage: StemShimano M365Image: StemShimano M365Image: StemShimano M365Image: StemCannondale C3, Alloy, 27.2x350mmImage: StemShimano M365Image: StemShimano M365Image: StemShimano M365Image: StemShimano M365Image: StemCannondale C3, Alloy, 27.2x350mmImage: StemShimano M365Image: StemShimano M365Image: StemShimano M365Image: StemShimano M365Image: StemShimano M365Image: StemCannondale C3, Alloy, 27.2x350mmImage: StemShimano M365Image: StemShimano M365Image: StemShimano M365Image: StemShimano M365Image: StemShimano M365Image: StemShimano M365Image: StemShimano M365
--	---



∠) FRAME ↓ FORK ∞ REAR SHOCK ○ RIMS ↔ HUBS ※ SPOKES ∞ TIRES ⊕ PEDALS ↔ CRANK ↔ CRANK OPTION ⇔ BOTTOM BRACKET ○ CHAIN	Quick CX , Optimized 6061 Alloy, SAVE. 1.5" head tube RST Nova Pro 1.5", ML lockout, 50mm N/A Maddux DC3.0, double wall w/eyelet, 32-hole Cannondale C4 Disc, 32-hole Stainless, 15g Kenda Happy Medium. 700x35c Quick CX Reinforced Composite Shimano Altus 48/38/28 N/A Tange Cartridge KMC 782, 8-speed Sunrace CSM558, 11-32, 8-speed	 REAR DERAILLEUR SHIFTERS HANDLEBAR GRIPS STEM HEADSET BRAKE LEVERS SADDLE SEATPOST SIZES CLOR 1 CLOR 2 LXTRAS 	Shimano Altus Shimano Altus Cannondale C4, 6061 alloy. 25mm rise, 620mm Cannondale Ergo Performance, Lock-On Cannondale C4, 31.8, 12 deg. Tange Si Custom 1.5" Shimano M355 hydraulic disc, 160/160mm Shimano M355 Cannondale Quick CX Ergo Cannondale C4, Alloy. 27.2x350mm S.M.L.XL.J Magnesium White, w/ Jet Black and Berserker Green Accents, Gloss (04) - WHT N/A
CHAIN	Sunrace CSM558, 11-32, 8-speed Shimano Altus, 34.9 clamp	! EXTRAS	N/A





 ∠ FRAME ∠ FORK ← REAR SHOCK ○ RIMS ← HUBS ☆ SPOKES ⋯ TIRES ⊕ PEDALS ← CRANK → CRANK OPTION ← BOTTOM BRACKET ○ CHAIN 	Quick CX Rigid, Optimized 6061 Alloy, SAVE, 1-1/8" head tube Fatty Rigid Disc, Alloy, 1-1/8" steerer N/A Maddux DC3.0, double wall w/eyelet, 32-hole Cannondale C4 Disc, 32-hole Stainless, 15g Kenda Happy Medium, 700x35c Quick CX Reinforced Composite Shimano M171, 48/38/28 N/A Tange Cartridge KMC Z51, 8-speed Sunrace CSM558, 11-32, 8-speed Shimano Altus, 31.8 clamp	 ⇒ GRIPS ⇒ STEM ⇒ HEADSET ⇒ BRAKES √ BRAKE LEVERS ⇒ SADDLE ⇒ SATDOLE 	Shimano Altus Shimano M310 Rapidfire Plus Cannondale C4, 6061 alloy. 25mm rise, 640mm Cannondale Ergo Performance Cannondale C4, 31.8, 12 deg. Tange Si 1-1/8" Cannondale mechanical disc, 160/160mm Cannondale Q4 Cannondale Quick CX Ergo Cannondale Q4 Cannondale C4. Alloy. 27.2x350mm S.M.L.XL.J Jet Black w/ Charcool Grey and Neon Spring, Matte (02) - BBQ N/A N/A
--	---	---	--







29'er model. Life is better together.



CANNONDALE TANDEMS ARE:

» The best performance value in the tandem market » Created with signature Cannondale alloy craftsmanship,

- featuring our smooth welds and class-leading weights.
- » Stiffer, lighter, more responsive and stable than the competition thanks to our oversized tube shaping, BB30
- bottom brackets and performance-minded design.

RIDER PROFILE

For the rider looking to enjoy the journey...with company.

1.5" FORKS

Cannondale OPI one-piece, hollow, 3D forged forks with 1.5" steerers provide stable, secure, nimble and responsive handling. Suspension corrected on 29'er.

BELT DRIVE

An all-new belt-drive system drops significant weight, An un-new ven-unve system urops significant weight, maintenance, mess and hassle from the road tandem system (available on Tandem 1).

DISC-BRAKE EQUIPPED

Disc Brakes provide the confidence that when you (or your copilot) want to stop, you will.

4 CANNONDALE ALUMINUM EXPERTISE

These big and beautiful tandem frames are a showcase of our 34 years of aluminum-crafting expertise. Purposeful tube shapes, strong double-pass welds, and unrelenting attention to the shong addule-pass weaks, and unrelenting attention to the smallest details means that these tandems will perform like no other.

29'ER TANDEM 5

A more upright and adventurous model brings the strength, A more upinging and adventarious model unings the strength, stability and smooth-rolling comfort of 29" wheels to the two-up crowd.

SIZES:

ROAD SIZES: M/S, L/S, X/S, J/M MTN SIZES: M, L





₩ Magnesium White, w/ Jet Black and Race Red Accents, Gloss (01) - WHT

 ↓ FORK ⇔ FORK ⇔ REAR SHOCK ○ RIMS ⇔ HUBS ⇒ SPOKES ∞ TIRES ⊕ PEDALS ↔ CRANK ⇔ BOTTOM BRACKET ○ CHAIN 	Tandem Road, SmartFormed 6061 Alloy, 15 head tube, BB30 Cannondale Fatty Tandem, OPI, 1.5" steerer N/A DT Swiss Tandem wheelset, 36-hole DT Swiss Tandem DT Swiss Tandem Continental GatorSkin, 700x25c. folding Cannondale Reinforced Composite FSA Gossamer Tandem, 52/39/30, 42t timing N/A FSA MegaExo. w/ Eccentric BB30 KMC X10 drive, X9 timing Shimano Tiagra 4600, 12-30, 10-speed Shimano 105 5700, 31.8 clamp	 REAR DEANLELEVEN SHIFTERS HANDLEBAR GRIPS GRIPS STEM HEADSET BRAKE LEVERS SADDLE 	Shimano 105 5700 Shimano 105 5700 Cannondale C3 Compact, 2014 alloy. 31.8 / C3 bullhorn stoker Cannondale C3 IS''', 3-D forged, 6 deg. / C3 extender stoker Cannondale C3 I.S'', 3-D forged, 6 deg. / C3 extender stoker Tange Custom 1.5'' Shimano R515 mechnical disc, 180/203mm Shimano 105 5700 Prologo T2.0 Cannondale C3, Alloy. 31.6x350mm front & 27.2x350 rear M/S, L/S, X/S, J/M Magnesium White, w/ Jet Black and Race Red Accents, Gloss (01) - WHT N/A N/A
---	---	--	--

cannondale

🄌 FRONT DERA





um White and Berzerker Green, Gloss (O2) - BLK

Ŗ	let Black w/ I	Maynesium

HUBS Of Control Service Service

🎢 FRONT DERAILLEUK